



Plastic Welding > Hand tools > GHIBLI

GHIBLI

Universal tool for welding and shrinking. Two-step air flow switching and stepless temperature.

- Universal tool for welding and shrinking
- Welding results independent of voltage fluctuations and ambient temperature
- Two-step selectable air flow
- Extensive range of accessories



SPECIFICATIONS

GHIBLI 100 V

Voltage	V~	100
Power consumption	W	1500
Frequency	Hz	50 / 60
Temperature	°C	20 – 600
Air flow (20°C)	l/min	Level 2: 300, Level 3: 350
Pressure static	Pa	Level 2: 1500 (15 mbar), Level 3: 2100 (21 mbar)
Noise emission level LpA	dB	65
Size (L x W x H)	mm	195 x 85 x 160, handle Ø 57
Weight	kg	1.25 (with 3 m cord)

Marking of conformity



Approval mark



Certification scheme

CCA




Protection class II






GHIBLI 120 V

Voltage	V~	120
Power consumption	W	1500

Plastic Welding > Hand tools > GHIBLI

Frequency	Hz	50 / 60
Temperature	°C	20 – 600
Air flow (20°C)	l/min	Level 2: 300, Level 3: 350
Pressure static	Pa	Level 2: 1500 (15 mbar), Level 3: 2100 (21 mbar)
Noise emission level LpA	dB	65
Size (L x W x H)	mm	195 x 85 x 160, handle Ø 57
Weight	kg	1.25 (with 3 m cord)
Marking of conformity		
Approval mark		
Certification scheme		CCA
Protection class II		


GHIBLI 230 V

Voltage	V~	230
Power consumption	W	2000
Frequency	Hz	50 / 60
Temperature	°C	20 – 600
Air flow (20°C)	l/min	Level 2: 300, Level 3: 350
Pressure static	Pa	Level 2: 1500 (15 mbar), Level 3: 2100 (21 mbar)
Noise emission level LpA	dB	65
Size (L x W x H)	mm	195 x 85 x 160, handle Ø 57
Weight	kg	1.25 (with 3 m cord)
Marking of conformity		
Approval mark		
Certification scheme		CCA
Protection class II		



Plastic Welding > Hand tools > GHIBLI

ACCESSORIES



Tubular nozzle Ø 5 mm push-fit on GHIBLI

107.154 - Tubular nozzle Ø 5 mm, push-fit



Wide slot nozzle 20mm push-fit on GHIBLI

106.998 - Wide slot nozzle 20 mm, push-fit



Spoon reflector 25 x 30 mm push-fit on GHIBLI

107.313 - Spoon reflector 25 x 30 mm, push-fit



Folding reflector 70 x 12 mm push-fit on GHIBLI

107.315 - Folding reflector 70 x 12 mm, push-fit



Folding reflector 84 x 14 mm push-fit on GHIBLI

107.316 - Folding reflector 84 x 14 mm, push-fit



Soldering reflector 17 x 34mm push-fit on GHIBLI

107.325 - Soldering reflector 17 x 34 mm, push-fit



Sieve reflector 35 x 20mm push-fit on GHIBLI and LHS 20

107.309 - Sieve reflector 35 x 20 mm, push-fit



Plastic Welding > Hand tools > GHIBLI



Sieve reflector 50 x 35mm push-fit on GHIBLI and LHS 20

107.308 - Sieve reflector 50 x 35 mm, push-fit



Pressure roller 28 mm (PTFE), with ball bearings

106.976 - Pressure roller 28 mm (PTFE)with ball bearings



Pressure roller 28 mm (silicon), with ball bearings

106.977 - Pressure roller 28 mm (silicon), with ball bearings



One-arm pressure roller 40 mm, with ball bearings (silicon)

106.975 - One-arm pressure roller 40 mm, with ball bearings (silicon)



Customs seal roller, with ball bearings

106.981 - Customs seal roller, with ball bearings



Pressure roller with ball bearings (brass), with ball bearings

106.972 - Pressure roller with ball bearings (brass), with ball bearings



Tacking nozzle push-fit on tubular nozzle ø 5 mm

106.996 - Tacking nozzle, push-fit on tubular nozzle Ø 5mm



Speed welding nozzle 4.5 x 12mm for fillet seams

107.139 - Speed welding nozzle 4.5 x 12mm for fillet seams, push-fit on tubular nozzle ø 5mm




Plastic Welding > Hand tools > GHIBLI



Speed welding nozzle for tape 8 mm push-fit on tubular nozzle Ø 5mm

107.137 - Speed welding nozzle for tape 8 mm, push-fit on tubular nozzle Ø 5mm




Speed welding nozzle with small air-slide, push-fit on Tubular nozzle ø 5mm

105.431 - Speed welding nozzle 3 mm, small air-slide, push-fit on tubular nozzle Ø 5 mm

105.432 - Speed welding nozzle 4 mm, small air-slide, push-fit on tubular nozzle Ø 5mm

105.433 - Speed welding nozzle 5 mm, small air-slide, push-fit on Tubular nozzle Ø 5 mm




Speed welding nozzle 3, 4, 5 mm push-fit on tubular nozzle Ø 5 mm

106.989 - Speed welding nozzle 3 mm, push-fit on tubular nozzle Ø 5 mm

106.990 - Speed welding nozzle 4 mm push-fit, on tubular nozzle Ø 5 mm

106.991 - Speed welding nozzle 5 mm, push-fit on tubular nozzle Ø 5 mm



Sieve reflector 12 x 10 mm push-fit on tubular nozzle Ø 5mm

107.324 - Sieve reflector 12 x 10 mm, push-fit on tubular nozzle Ø 5mm



Speed welding nozzle 5.7, 7 mm push-fit on tubular nozzle Ø 5 mm

106.992 - Speed welding nozzle 5.7 mm, push-fit on tubular nozzle Ø 5 mm

106.993 - Speed welding nozzle 7 mm, push-fit on tubular nozzle Ø 5 mm